



RACUMIN FOAM AE0,4 6X500ML CAN GB

Version 2 / GB
102000025363

1/10
Revision Date: 30.09.2014
Print Date: 03.11.2014

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name RACUMIN FOAM AE0,4 6X500ML CAN GB
Product code (UVP) 80260997

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Rodenticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone 00800-1214 9451
Telefax +44(0)1223 426240
Responsible Department Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no. 0800-220876 (UK 24 hr)
+44(0)1635-563000 (Overseas 24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Flammable aerosols: Category 1

H222 Extremely flammable aerosol.

H229 Pressurized container: May burst if heated.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

R12

Xn Harmful, R21/22

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Coumatetralyl



RACUMIN FOAM AE0,4 6X500ML CAN GB

Version 2 / GB
102000025363

2/10
Revision Date: 30.09.2014
Print Date: 03.11.2014



Signal word: Danger

Hazard statements

H222 Extremely flammable aerosol.
H319 Causes serious eye irritation.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P102 Keep out of reach of children.
P103 Read label before use.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P260 Do not breathe spray.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 18 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 26 %

2.3 Other hazards

Pressurised container, heating will cause pressure rise with a risk of bursting.
Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Aerosol dispenser (AE)
Coumatetralyl 0,4 %

Hazardous components

R-phrases according to EC directive 67/548/EEC
Hazard statements according to Regulation (EC) No. 1907/2006

**RACUMIN FOAM AE0,4 6X500ML CAN GB**Version 2 / GB
1020000253633/10
Revision Date: 30.09.2014
Print Date: 03.11.2014

Name	CAS-No. / EC-No.	Classification		Conc. [%]
		EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Coumatetralyl	5836-29-3 227-424-0	T+; R27/28 T; R48/24/25 R52/53	Acute Tox. 1, H330 Acute Tox. 2, H300 Acute Tox. 2, H310 STOT RE 1, H372 Aquatic Chronic 3, H412	0.40
Isotridecylalcohol- 6-ethoxylate	69011-36-5	Xn; R22 Xi; R41	Acute Tox. 4, H302 Eye Dam. 1, H318	> 1.00 – < 5.00
Glycerine	56-81-5 200-289-5	Not classified	Not classified	> 1.00
Butane	106-97-8 203-448-7	F+; R12	Press. Gas Flam. Gas 1, H220	> 1.00

Further information

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely. Place and transport victim in stable position (lying sideways). In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.) Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	If large amounts are ingested, the following symptoms may occur: State of shock, Nose bleeding, Bloody vomiting, Abdominal pain, Back pain Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).
-----------------	--

4.3 Indication of any immediate medical attention and special treatment needed



RACUMIN FOAM AE0,4 6X500ML CAN GB

Version 2 / GB
102000025363

4/10
Revision Date: 30.09.2014
Print Date: 03.11.2014

Treatment	Treat symptomatically. Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.
------------------	---

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
-----------------	--

Unsuitable	High volume water jet
-------------------	-----------------------

5.3 Advice for firefighters

Special protective equipment for fire-fighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
---	--

Further information	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.
----------------------------	--

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.
--------------------	---

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).
--------------------------------------	---

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal. Keep unauthorized people away.
--------------------------------	--

Additional advice	Use personal protective equipment.
--------------------------	------------------------------------

6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling



RACUMIN FOAM AE0,4 6X500ML CAN GB

Version 2 / GB
102000025363

5/10
Revision Date: 30.09.2014
Print Date: 03.11.2014

- Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
- Advice on protection against fire and explosion** The product is extremely flammable. Keep away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge. Fire or intense heat may cause violent rupture of packages.
- Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).
- 7.2 Conditions for safe storage, including any incompatibilities**
- Requirements for storage areas and containers** BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only.
- Advice on common storage** Keep away from food, drink and animal feedingstuffs.
- Suitable materials** Aluminium with interior coating
- 7.3 Specific end uses** Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Coumatetralyl	5836-29-3	0.01 mg/m ³ (TWA)		OES BCS*
Glycerine (Mist.)	56-81-5	10 mg/m ³ (TWA)	12 2011	EH40 WEL
Butane	106-97-8	1,810 mg/m ³ /750 ppm (STEL)	12 2011	EH40 WEL
Butane	106-97-8	1,450 mg/m ³ /600 ppm (TWA)	12 2011	EH40 WEL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's



RACUMIN FOAM AE0,4 6X500ML CAN GB

Version 2 / GB
102000025363

6/10
Revision Date: 30.09.2014
Print Date: 03.11.2014

instructions regarding wearing and maintenance.

Hand protection

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	aerosol
Colour	dark blue
Odour	weak, characteristic
Density	ca. 0.95 g/cm ³ at 20 °C
Water solubility	miscible
Partition coefficient: n-octanol/water	Coumatetralyl: log Pow: 1.5

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

**RACUMIN FOAM AE0,4 6X500ML CAN GB**Version 2 / GB
1020000253637/10
Revision Date: 30.09.2014
Print Date: 03.11.2014**11.1 Information on toxicological effects**

Acute oral toxicity	ATE (rat) > 2,000 mg/kg ATE – acute toxicity estimate Calculation method
Acute inhalation toxicity	ATE (rat) > 5.0 mg/l ATE – acute toxicity estimate Calculation method
Acute dermal toxicity	ATE (rat) > 5,000 mg/kg ATE – acute toxicity estimate Calculation method
Skin irritation	No skin irritation (rabbit) The information is derived from the properties of the individual components.
Eye irritation	Irritating to eyes. (rabbit) The information is derived from the properties of the individual components.
Sensitisation	Non-sensitizing. (guinea pig) The information is derived from the properties of the individual components.

Assessment repeated dose toxicity

Coumatetralyl caused inhibition of blood coagulation possibly causing hemorrhagic syndrome in animal studies. The toxic effects of Coumatetralyl are related to antivitamin K properties.

Assessment Mutagenicity

Coumatetralyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Coumatetralyl is not considered carcinogenic.

Assessment toxicity to reproduction

Coumatetralyl is not considered a reproductive toxicant at non-maternally toxic dose levels.

Assessment developmental toxicity

Coumatetralyl did not cause developmental toxicity in rats and rabbits.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 53 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient coumatetralyl.
Toxicity to aquatic invertebrates	EC50 (Water flea (Daphnia magna)) > 14 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient coumatetralyl.
Toxicity to aquatic plants	IC50 (Desmodium subspicatus) > 18 mg/l Growth rate; Exposure time: 96 h The value mentioned relates to the active ingredient coumatetralyl.

12.2 Persistence and degradability



RACUMIN FOAM AE0,4 6X500ML CAN GB

Version 2 / GB
102000025363

8/10
Revision Date: 30.09.2014
Print Date: 03.11.2014

Biodegradability	Coumatetralyl: not rapidly biodegradable
Koc	Coumatetralyl: Koc: 453
12.3 Bioaccumulative potential	
Bioaccumulation	Coumatetralyl: Bioconcentration factor (BCF) 3 - 11 Does not bioaccumulate.
12.4 Mobility in soil	
Mobility in soil	Coumatetralyl: Moderately mobile in soils
12.5 Results of PBT and vPvB assessment	
PBT and vPvB assessment	Coumatetralyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
12.6 Other adverse effects	
Additional ecological information	No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	Disposal of the liquid product when not contained in the aerosol container by incineration in an appropriately licensed commercial incinerator. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Ensure aerosol container is empty before disposal. Dispose of empty and cleaned packaging safely.
Waste key for the unused product	160504 gases in pressure containers (including halons) containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	1950
14.2 Proper shipping name	AEROSOLS
14.3 Transport hazard class(es)	2.1
14.4 Packing group	NOT APPLICABLE.
14.5 Environm. Hazardous Mark	NO
Hazard no.	NOT APPLICABLE.
Tunnel Code	D

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	1950
14.2 Proper shipping name	AEROSOLS
14.3 Transport hazard class(es)	2.1
14.4 Packing group	NOT APPLICABLE.



RACUMIN FOAM AE0,4 6X500ML CAN GB

Version 2 / GB
102000025363

9/10
Revision Date: 30.09.2014
Print Date: 03.11.2014

14.5 Marine pollutant NO

IATA

14.1 UN number **1950**
14.2 Proper shipping name AEROSOLS, FLAMMABLE
14.3 Transport hazard class(es) 2.1
14.4 Packing group NOT APPLICABLE.
14.5 Environm. Hazardous Mark NO

UK 'Carriage' Regulations

14.1 UN number **1950**
14.2 Proper shipping name AEROSOLS
14.3 Transport hazard class(es) 2.1
14.4 Packing group NOT APPLICABLE.
14.5 Environm. Hazardous Mark NO

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information



RACUMIN FOAM AE0,4 6X500ML CAN GB

Version 2 / GB
102000025363

10/10

Revision Date: 30.09.2014

Print Date: 03.11.2014

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of R-phrases mentioned in Section 3

R12	Extremely flammable.
R22	Harmful if swallowed.
R27/28	Very toxic in contact with skin and if swallowed.
R41	Risk of serious damage to eyes.
R48/24/25	Toxic: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Text of the hazard statements mentioned in Section 3

H220	Extremely flammable gas.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H372	Causes damage to organs () through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 453/2010.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.